



SmartLock to MAP Migration

TYPICAL CONFIGURATIONS


1-DOOR SMARTLOCK SYSTEM MIGRATION




2-DOOR SMARTLOCK SYSTEM MIGRATION



3-DOOR SMARTLOCK SYSTEM MIGRATION




4-DOOR SMARTLOCK SYSTEM MIGRATION




G 8-DOOR SMARTLOCK SYSTEM MIGRATION

BEFORE




AFTER - OPTION 1 MIGRATE TO TWO MAP1 (4-DOOR)



AFTER - OPTION 2

MIGRATE TO ONE MAP2 (8-DOOR)



SMARTLOCK VS MAP CONTROLLER OUTPUTS

Three Outputs Per Reader For SmartLock Controller

1. Lock
2. Door Operator
3. Forced Entry / Door Held Open

Two Outputs Per Reader For MAP (MAP1, MAP2 & MAPMINI) Controllers

1. Lock
2. Multi-Function (MF)
 - Alarm Shunt
 - Door Held Open
 - Forced Entry
 - Door Operator

NOTES

- All SmartLock systems can be migrated to the MAP systems.
- The migration requires a network drop for each MAP controller.
- MAPMINI would only be used where a single SL controller is migrated.
- A single MAP1 can replace up to 4 SmartLock controllers.
- A single MAP2 can replace up to 8 SmartLock controllers.

ACCESS CONTROL SYSTEMS COMPARISON

	SmartLock Pro Plus	Webster	First Access Express/Advanced	CloudACS
No software to install	No	Yes	No	Yes
No local PC or server hardware required	No	Yes	No	Yes
Administer from anywhere—authorize access, revoke access, change schedules, etc.	No	Yes (Port forwarding or VPN is required)	Yes — First Access Admin App (Coming soon, port forwarding or VPN is required)	Yes
Control system from anywhere—unlock door, lock door, etc.				
Automatic device detection	N/A	N/A	Yes	N/A
Multiple system admins	No	Yes	Yes	Yes
Customizable view based on login	No	No	No	Yes
Reader capacity	120	1 for MAPMINI 2/4 for MAP1 2/4/6/8 for MAP2	1,000+	1,000+
Choice of readers and credentials—Wiegand readers such as prox card/fob, RF, fingerprint, keypad, etc.	Yes	Yes	Yes	Yes
Supports smartphone credentials	No	No	Yes — First Access GO App (Coming soon)	No
Requires smartphone cellular or wifi data for access at reader	No	No	No	No
User capacity	4800	5,000	100,000	100,000
Credentials per user	1	1	5	5
Customizable user fields	5	No	10	10
Access schedules	256	256	256	256
Scheduled unlock	Yes	Yes	Yes	Yes
Holiday schedules	Yes	Yes	Yes	Yes
Audit report	Yes	Yes	Yes	Yes
Access notifications	Yes	Yes	Yes	Yes
Door held open notifications	Yes	Yes	Yes	Yes
Forced entry notifications	Yes	Yes	Yes	Yes
Request-to-exit input	Yes	Yes	Yes	Yes
Relay for door operator	Yes	Yes	Yes	Yes
Photo badge integration*	Yes	No	Yes*	No
CCTV integration*	Yes	No	Yes*	No
SQL database	Yes	N/A	Yes	Yes
Operates during local network outage	Yes	Yes	Yes	Yes
Automatic backup of system data	No	Yes	No	Yes
Aperio™ Wireless Lock Technology Integration	No	Yes	Yes	Yes
Monthly subscription	No	No	No	Yes
Software key required	No	No	Yes*	No
Recurring revenue for installer	No	No	No	Yes

* Software integration purchased separately. CCTV integration with Uniview NVR. They are only available for First Access Advanced.